From: <u>Nicolas Brescia</u>
To: <u>Diana Ortiz</u>

Subject: Re: QUESTION: Fw: Site ID Request for Clean Harbors El Dorado Chemical

**Date:** 01/02/2013 11:00 AM

It was an ER but I only completed an assessment, it is over and complete now.

Nicolas Brescia, CHMM
Federal On-Scene Coordinator
USEPA Region 6
Response and Prevention Branch
1445 Ross Avenue (6SF-PE)
Dallas, TX 75202-2733
Office Ph: (214)665-2291

Office Ph: (214)665-2291 Cell Ph: (214)789-8383 FCC Call Sign: KF5PQR

EPA Response Hotline: (866)372-7745 National Response Center: (800)424-8802

## -----Diana Ortiz/R6/USEPA/US wrote: -----

To: Nicolas Brescia/R6/USEPA/US@EPA

From: Diana Ortiz/R6/USEPA/US Date: 01/02/2013 10:56AM

Subject: QUESTION: Fw: Site ID Request for Clean Harbors El Dorado Chemical

Hello Nicolas,

Was RA the only action code you needed? Was this an emergency response?

Let me know.

Thanks

Diana Ortiz
CERCLIS Coordinator
Revitalization & Resources Branch
Information Management Team (6SE

Information Management Team (6SF-VI)

x7315

---- Forwarded by Diana Ortiz/R6/USEPA/US on 01/02/2013 10:55 AM ----

From: Robert Contreras/R6/USEPA/US
To: Diana Ortiz/R6/USEPA/US@EPA
Cc: Robert Contreras/R6/USEPA/US@EPA

Date: 01/02/2013 09:40 AM

Subject: Re: Fw: Re: Site ID Request for Clean Harbors El Dorado Chemical

OK SSID issued

Robert Contreras Accounting Services Section 6MD-CA 214-665-7485

☑Diana Ortiz---12/31/2012 02:12:57 PM---From: Diana Ortiz/R6/USEPA/US To: Robert Contreras/R6/USEPA/US@EPA

From: Diana Ortiz/R6/USEPA/US

To: Robert Contreras/R6/USEPA/US@EPA

Date: 12/31/2012 02:12 PM

Subject: Fw: Re: Site ID Request for Clean Harbors El Dorado Chemical

Diana Ortiz CERCLIS Coordinator Revitalization & Resources Branch Information Management Team (6SF-VI) x7315

-----Forwarded by Diana Ortiz/R6/USEPA/US on 12/31/2012 02:12PM -----

To: Diana Ortiz/R6/USEPA/US@EPA From: Nicolas Brescia/R6/USEPA/US

Date: 12/20/2012 03:15PM

Cc: Chris Petersen/R6/USEPA/US@EPA

Subject: Re: Site ID Request for Clean Harbors El Dorado Chemical

(See attached file: FY13 SSID Form for Clean Harbors EL Dorado Release.docx)

Here you go-

Nicolas Brescia, CHMM Federal On-Scene Coordinator USEPA Region 6 Response and Prevention Branch 1445 Ross Avenue (6SF-PE) Dallas, TX 75202-2733 Office Ph: (214)665-2291

Office Ph: (214)665-2291 Cell Ph: (214)789-8383 FCC Call Sign: KF5PQR

EPA Response Hotline: (866)372-7745 National Response Center: (800)424-8802 -----Diana Ortiz/R6/USEPA/US wrote: -----

To: Nicolas Brescia/R6/USEPA/US@EPA

From: Diana Ortiz/R6/USEPA/US Date: 12/20/2012 02:57PM

Cc: Chris Petersen/R6/USEPA/US@EPA

Subject: Re: Site ID Request for Clean Harbors El Dorado Chemical

Nicolas,

This is the form you need to use. We get a new one every Oct. 1st. Also, don't forget to give me the action codes you need. There is at the bottom of the form where you add these.

## List ACTION CODES needed for PeoplePlus site charging: BFYS = 2013 ACTION CODES:

Thanks Dee

(See attached file: FY13 SSID Form.docx)

Diana Ortiz
CERCLIS Coordinator
Revitalization & Resources Branch
Information Management Team (6SF-VI)
x7315

Nicolas Brescia---12/20/2012 08:51:24 AM---see attached Nicolas Brescia, CHMM

From: Nicolas Brescia/R6/USEPA/US To: Diana Ortiz/R6/USEPA/US@EPA Cc: Chris Petersen/R6/USEPA/US@EPA

Date: 12/20/2012 08:51 AM

Subject: Site ID Request for Clean Harbors El Dorado Chemical

see attached

Nicolas Brescia, CHMM Federal On-Scene Coordinator USEPA Region 6 Response and Prevention Branch 1445 Ross Avenue (6SF-PE) Dallas, TX 75202-2733 Office Ph: (214)665-2291

Cell Ph: (214)789-8383 FCC Call Sign: KF5PQR EPA Response Hotline: (866)372-7745

National Response Center: (800)424-8802[attachment "2012 SSID FORM FOR CLEAN

HARBORS EL DORADO CHEMICAL.docx" deleted by Diana Ortiz/R6/USEPA/US]

[attachment "FY13 SSID Form.docx" removed by Nicolas Brescia/R6/USEPA/US] (See attached file: FY13 SSID Form for Clean Harbors EL Dorado Release.docx)

[attachment "FY13 SSID Form for Clean Harbors EL Dorado Release.docx" removed by Nicolas Brescia/R6/USEPA/US]